

1. Agosta F, Gatti R, Sarasso E, Volonté MA, Canu E, Meani A, Sarro L, Copetti M, Cattrysse E, Kerckhofs E, Comi G, Falini A, Filippi M. Brain plasticity in Parkinson's disease with freezing of gait induced by action observation training. *J Neurol.* 2017 Jan;264(1):88-101. doi: 10.1007/s00415-016-8309-7. Epub 2016 Oct 24. PMID: 27778161.
2. Anke H. Snijders, Charlotte A. Haaxma, Yolien J. Hagen, Marten Munneke, Bastiaan R. Bloem, Freezer or non-freezer: Clinical assessment of freezing of gait, *Parkinsonism & Related Disorders*, Volume 18, Issue 2, 2012, Pages 149-154
3. Beck EN, Ehgoetz Martens KA, Almeida QJ. Freezing of Gait in Parkinson's Disease: An Overload Problem? *PLoS One.* 2015 Dec 17;10(12):e0144986. doi: 10.1371/journal.pone.0144986. PMID: 26678262; PMCID: PMC4682987
4. Bekkers EMJ, Dijkstra BW, Dockx K, Heremans E, Verschueren SMP, Nieuwboer A. Clinical balance scales indicate worse postural control in people with Parkinson's disease who exhibit freezing of gait compared to those who do not: A meta-analysis. *Gait Posture.* 2017 Jul;56:134-140. doi: 10.1016/j.gaitpost.2017.05.009. Epub 2017 May 11. PMID: 28544951.
5. Bekkers EMJ, Dijkstra BW, Heremans E, Verschueren SMP, Bloem BR, Nieuwboer A. Balancing between the two: Are freezing of gait and postural instability in Parkinson's disease connected? *Neurosci Biobehav Rev.* 2018;94:113-125. doi:10.1016/j.neubiorev.2018.08.008
6. Bekkers EMJ, Mirelman A, Alcock L, Rochester L, Nieuwhof F, Bloem BR, Pelosin E, Avanzino L, Cereatti A, Della Croce U, Hausdorff JM, Nieuwboer A. Do Patients With Parkinson's Disease With Freezing of Gait Respond Differently Than Those Without to Treadmill Training Augmented by Virtual Reality? *Neurorehabil Neural Repair.* 2020 May;34(5):440-449
7. Bezerra PT, Santiago LM, Silva IA, et al. Action observation and motor imagery have no effect on balance and freezing of gait in Parkinson's disease: a randomized controlled trial. *Eur J Phys Rehabil Med.* 2022;58(5):715-722. doi:10.23736/S1973-9087.22.07313-0
8. Boddy A, Mitchell K, Ellison J, Brewer W, Perry LA. Reliability and validity of modified Four Square Step Test (mFSST) performance in individuals with Parkinson's disease. *Physiother Theory Pract.* 2023 May;39(5):1038-1043. doi: 10.1080/09593985.2022.2031360. Epub 2022 Jan 29. PMID: 35098864.
9. Bryant MS, Workman CD, Hou JG, Henson HK, York MK. Acute and Long-Term Effects of Multidirectional Treadmill Training on Gait and Balance in Parkinson Disease. *PM&R.* 2016 Dec;8(12):1151-1158. doi: 10.1016/j.pmrj.2016.05.001. Epub 2016 May 10. PMID: 27178378.
10. Capato, T. T., de Vries, N. M., Int'Hout, J., Ramjith, J., Barbosa, E. R., Nonnekes, J., & Bloem, B. R. (2020). Multimodal balance training supported by rhythmic auditory stimuli in Parkinson disease: effects in freezers and nonfreezers. *Physical therapy, 100*(11), 2023-2034.
11. Capato TTC, de Vries NM, Int'Hout J, Barbosa ER, Nonnekes J, Bloem BR. Multimodal Balance Training Supported by Rhythmical Auditory Stimuli in Parkinson's Disease: A Randomized Clinical Trial. *J Parkinsons Dis.* 2020;10(1):333-346. doi:10.3233/JPD-191752
12. Capato TTC, Nonnekes J, Barbosa ER, Bloem BR. Internal and external compensation strategies to alleviate upper limb freezing in Parkinson's disease. *Parkinsonism Relat Disord.* 2019;64:335-336. doi:10.1016/j.parkreldis.2019.03.008
13. Chan JL, Amorelli G, Sarna JR. Elastic Priming of Gait: An Effective Patient-Created Strategy for Freezing of Gait. *Mov Disord Clin Pract.* 2022;10(1):141-142. Published 2022 Oct 27. doi:10.1002/mdc3.13594
14. Chen YA, Wu RM, Sheu CH, Lin CH, Huang CY. Attentional focus effect on dual-task walking in Parkinson's disease with and without freezing of gait. *Geroscience.* 2023;45(1):177-195. doi:10.1007/s11357-022-00606-3
15. Chow R, Tripp BP, Rzondzinski D, Almeida QJ. Investigating Therapies for Freezing of Gait Targeting the Cognitive, Limbic, and Sensorimotor Domains. *Neurorehabil Neural Repair.* 2021;35(3):290-299. doi:10.1177/1545968321992331
16. Cohen RG, Klein KA, Nomura M, et al. Inhibition, Executive Function, and Freezing of Gait. *J Parkinsons Dis.* 2014;4(1):111-122. doi:10.3233/JPD-130221

17. Cosentino C, Baccini M, Putzolu M, Ristori D, Avanzino L, Pelosin E. Effectiveness of Physiotherapy on Freezing of Gait in Parkinson's Disease: A Systematic Review and Meta-Analyses. *Mov Disord.* 2020 Apr;35(4):523-536. doi: 10.1002/mds.27936. Epub 2019 Dec 4.
18. Cosentino C, Putzolu M, Mezzarobba S, et al. One cue does not fit all: A systematic review with meta-analysis of the effectiveness of cueing on freezing of gait in Parkinson's disease. *Neurosci Biobehav Rev.* 2023;150:105189. doi:10.1016/j.neubiorev.2023.105189
19. Das J, Barry G, Walker R, Vitorio R, Morris R, Stuart S. The integration of technology into a home-based visuo-cognitive training intervention for people with Parkinson's: Is the future digital?. *PLoS One.* 2023;18(6):e0285100. Published 2023 Jun 15. doi:10.1371/journal.pone.0285100
20. Delgado-Alvarado M, Marano M, Santurtún A, Urtiaga-Gallano A, Tordesillas-Gutierrez D, Infante J. Nonpharmacological, nonsurgical treatments for freezing of gait in Parkinson's disease: A systematic review. *Mov Disord.* 2020 Feb;35(2):204-214. doi: 10.1002/mds.27913. Epub 2019 Nov 26. PMID: 31769904.
21. Delval A, Rambour M, Tard C, et al. Freezing/festination during motor tasks in early-stage Parkinson's disease: A prospective study. *Mov Disord.* 2016;31(12):1837-1845. doi:10.1002/MDS.26762
22. Dijkstra BW, Gilat M, Cofré Lizama LE, Mancini M, Bergmans B, Verschueren SMP, Nieuwboer A. Impaired Weight-Shift Amplitude in People with Parkinson's Disease with Freezing of Gait. *J Parkinsons Dis.* 2021;11(3):1367-1380. doi: 10.3233/JPD-202370. PMID: 33749618.
23. Dijkstra, B. W., Gilat, M., D'Cruz, N., Zoetewei, D., & Nieuwboer, A. (2023). Neural underpinnings of freezing-related dynamic balance control in people with Parkinson's disease. *Parkinsonism & Related Disorders*, 112, 105444.
24. Ehgoetz Martens KA, Shine JM, Walton CC, et al. Evidence for subtypes of freezing of gait in Parkinson's disease. *Mov Disord.* 2018;33(7):1174-1178. doi:10.1002/mds.27417
25. Espay AJ, Fasano A, Van Nuenen BFL, Payne MM, Snijders AH, Bloem BR. "On" state freezing of gait in Parkinson disease: A paradoxical levodopa-induced complication. *Neurology.* 2012;78(7):454-457. doi:10.1212/WNL.0b013e3182477ec0
26. Factor SA, Weinshenker D, McKay JL. A possible pathway to freezing of gait in Parkinson's disease. *J Parkinsons Dis.* 2025;15(2):282-290. doi:10.1177/1877718X241308487
27. Ferrazzoli D, Ortelli P, Madeo G, Giladi N, Petzinger GM, Frazzitta G. Basal ganglia and beyond: The interplay between motor and cognitive aspects in Parkinson's disease rehabilitation. *Neurosci Biobehav Rev.* 2018 Jul;90:294-308. doi: 10.1016/j.neubiorev.2018.05.007.
28. Fietzek UM, Zwosta J, Schroeteler FE, Ziegler K, Ceballos-Baumann AO. Levodopa changes the severity of freezing in Parkinson's disease. *Parkinsonism Relat Disord.* 2013 Oct;19(10):894-6. doi: 10.1016/j.parkreldis.2013.04.004. Epub 2013 May 1. PMID: 23642712.
29. Frazzitta G, Maestri R, Uccellini D, Bertotti G, Abelli P. Rehabilitation treatment of gait in patients with Parkinson's disease with freezing: A comparison between two physical therapy protocols using visual and auditory cues with or without treadmill training. *Mov Disord.* 2009;24(8):1139-1143. doi:10.1002/mds.22491
30. Frenkel-Toledo S, Giladi N, Peretz C, Herman T, Gruendlinger L, Hausdorff JM. Treadmill walking as an external pacemaker to improve gait rhythm and stability in Parkinson's disease. *Mov Disord.* 2005 Sep;20(9):1109-14. doi: 10.1002/mds.20507.
31. Gan L, Yan R, Su D, et al. Alterations of structure and functional connectivity of visual brain network in patients with freezing of gait in Parkinson's disease. *Front Aging Neurosci.* 2022;14:978976. Published 2022 Sep 7. doi:10.3389/fnagi.2022.978976 García-Ruiz PJ. Gait disturbances in Parkinson disease. Did freezing of gait exist before levodopa? Historical review. *J Neurol Sci.* 2011;307:15-17. doi:10.1016/j.jns.2011.05.0191.
32. García-Ruiz PJ. Gait disturbances in Parkinson disease. Did freezing of gait exist before levodopa? Historical review. *J Neurol Sci.* 2011;307:15-17. doi:10.1016/j.jns.2011.05.0191.
33. Gardoni A, Sarasso E, Agosta F, Filippi M, Corbetta D. Rehabilitative interventions for impaired handwriting in people with Parkinson's disease: a scoping review. *Neurol Sci.* 2023;44(8):2667-2677. doi:10.1007/s10072-023-06752-6

34. Georgiades MJ, Gilat M, Ehgoetz Martens KA, et al. Investigating motor initiation and inhibition deficits in patients with Parkinson's disease and freezing of gait using a virtual reality paradigm. *Neuroscience*. 2016;337:153-162. doi:10.1016/j.neuroscience.2016.09.019
35. Giladi N, Nieuwboer A. Understanding and treating freezing of gait in parkinsonism, proposed working definition, and setting the stage. *Movement Disorders*. 2008;23(S2):S423-S425. doi:10.1002/mds.21927
36. Gilat M, Ginis P, Zoetewei D, et al. A systematic review on exercise and training-based interventions for freezing of gait in Parkinson's disease. *NPJ Parkinsons Dis*. 2021;7(1):81. Published 2021 Sep 10. doi:10.1038/s41531-021-00224-4
37. Gilat M, Nonnekes J, Factor SA, et al. An updated definition of freezing of gait. *Nat Rev Neurol*. Published online January 9, 2026. doi:10.1038/s41582-025-01179-3
38. Ginis P, Nackaerts E, Nieuwboer A, Heremans E. Cueing for people with Parkinson's disease with freezing of gait: A narrative review of the state-of-the-art and novel perspectives. *Ann Phys Rehabil Med* 2018;61(6):407-413. doi:10.1016/j.rehab.2017.08.002
39. Godi M, Giardini M, Nardone A, Turcato AM, Caligari M, Pisano F, Schieppati M. Curved Walking Rehabilitation with a Rotating Treadmill in Patients with Parkinson's Disease: A Proof of Concept. *Front Neurol*. 2017 Feb 28;8:53. doi: 10.3389/fneur.2017.00053.
40. Goetz CG, Tilley BC, Shaftman SR, et al. Movement Disorder Society-Sponsored Revision of the Unified Parkinson's Disease Rating Scale (MDS-UPDRS): Scale presentation and clinimetric testing results. *Mov Disord*. 2008;23(15):2129-2170. doi:10.1002/mds.22340
41. Goh, L., Canning, C. G., Song, J., Clemson, L., & Allen, N. E. (2023). The effect of rehabilitation interventions on freezing of gait in people with Parkinson's disease is unclear: a systematic review and meta-analyses. *Disability and rehabilitation*, 45(19), 3199–3218. <https://doi.org/10.1080/09638288.2022.2120099>
42. Goh L, Paul SS, Canning CG, et al. The Ziegler Test Is Reliable and Valid for Measuring Freezing of Gait in People With Parkinson Disease. *Phys Ther*. 2022;102(12):1-8. doi:10.1093/ptj/pzac122
43. Hardeman LES, Kal EC, Young WR, van der Kamp J, Ellmers TJ. Visuomotor control of walking in Parkinson's disease: Exploring possible links between conscious movement processing and freezing of gait. *Behav Brain Res*. 2020;395:112837. doi:10.1016/j.bbr.2020.112837
44. Heimler B, Koren O, Inzelberg R, et al. Heart-rate variability as a new marker for freezing predisposition in Parkinson's disease [published online ahead of print, 2023 Jun 4]. *Parkinsonism Relat Disord*. 2023;105476. doi:10.1016/j.parkreldis.2023.105476
45. Heremans E, Nackaerts E, Vervoort G, Broeder S, Swinnen SP, Nieuwboer A. Impaired Retention of Motor Learning of Writing Skills in Patients with Parkinson's Disease with Freezing of Gait. *PLoS One*. 2016;11(2):e0148933. Published 2016 Feb 10. doi:10.1371/journal.pone.0148933
46. Herman T, Dagan M, Shema-Shiratzky S, Reches T, Brozgol M, Giladi N, Manor B, Hausdorff JM. Advantages of timing the duration of a freezing of gait-provoking test in individuals with Parkinson's disease. *J Neurol*. 2020 Sep;267(9):2582-2588. doi: 10.1007/s00415-020-09856-7. Epub 2020 May 7. PMID: 32383040.
47. Herman T, Giladi N, Gruendlinger L, Hausdorff JM. Six weeks of intensive treadmill training improves gait and quality of life in patients with Parkinson's disease: a pilot study. *Arch Phys Med Rehabil*. 2007 Sep;88(9):1154-8. doi: 10.1016/j.apmr.2007.05.015. PMID: 17826461
48. Heremans E, Nackaerts E, Vervoort G, et al. Amplitude manipulation evokes upper limb freezing during handwriting in patients with Parkinson's disease with freezing of gait. *PLoS One*. 2015;10(11):1-13. doi:10.1371/journal.pone.0142874
49. Heremans E, Nackaerts E, Vervoort G, Broeder S, Swinnen SP, Nieuwboer A. Impaired Retention of Motor Learning of Writing Skills in Patients with Parkinson's Disease with Freezing of Gait. *PLoS One*. 2016;11(2):e0148933. Published 2016 Feb 10. doi:10.1371/journal.pone.0148933
50. Heremans E, Nieuwboer A, Vercruyssen S. Freezing of gait in Parkinson's disease: where are we now?. *Curr Neurol Neurosci Rep*. 2013;13(6):350. doi:10.1007/s11910-013-0350-7

51. Herman T, Dagan M, Shema-Shiratzky S, Reches T, Brozgol M, Giladi N, Manor B, Hausdorff JM. Advantages of timing the duration of a freezing of gait-provoking test in individuals with Parkinson's disease. *J Neurol*. 2020 Sep;267(9):2582-2588. doi: 10.1007/s00415-020-09856-7. Epub 2020 May 7. PMID: 32383040.
52. Herman T, Giladi N, Gruendlinger L, Hausdorff JM. Six weeks of intensive treadmill training improves gait and quality of life in patients with Parkinson's disease: a pilot study. *Arch Phys Med Rehabil*. 2007 Sep;88(9):1154-8. doi: 10.1016/j.apmr.2007.05.015. PMID: 17826461
53. Hong M, Earhart GM. Rotating treadmill training reduces freezing in Parkinson disease: preliminary observations. *Parkinsonism Relat Disord*. 2008;14(4):359-63. doi: 10.1016/j.parkreldis.2007.07.003. Epub 2007 Aug 29. PMID: 17761449; PMCID: PMC2446473.
54. Huang T, Li M, Huang J. Recent trends in wearable device used to detect freezing of gait and falls in people with Parkinson's disease: A systematic review. *Front Aging Neurosci*. 2023;15:1119956. Published 2023 Feb 15. doi:10.3389/fnagi.2023.1119956
55. Hulzinga F, Nieuwboer A, Dijkstra BW, Mancini M, Strouwen C, Bloem BR, Ginis P. The New Freezing of Gait Questionnaire: Unsuitable as an Outcome in Clinical Trials? *Mov Disord Clin Pract*. 2020 Jan 14;7(2):199-205. doi: 10.1002/mdc3.12893. PMID: 32071940; PMCID: PMC7011794.
56. Hunt D, Stuart S, Nell J, et al. Do people with Parkinson's disease look at task relevant stimuli when walking? An exploration of eye movements. *Behav Brain Res*. 2018;348:82-89. doi:10.1016/j.bbr.2018.03.003
57. Jacobs JV, Nutt JG, Carlson-Kuhta P, Stephens M, Horak FB. Knee trembling during freezing of gait represents multiple anticipatory postural adjustments. *Exp Neurol*. 2009 Feb;215(2):334-41. doi: 10.1016/j.expneurol.2008.10.019.
58. Jansen JAF, Capato TTC, Darweesh SKL, et al. Exploring the levodopa-paradox of freezing of gait in dopaminergic medication-naïve Parkinson's disease populations. *npj Park Dis*. 2023;9(1):130. doi:10.1038/s41531-023-00575-0
59. José Luvizutto G, Souza Silva Brito T, de Moura Neto E, Aparecida Pascucci Sande de Souza L. Altered Visual and Proprioceptive Spatial Perception in Individuals with Parkinson's Disease. *Percept Mot Skills*. 2019;127(1):98-112. doi:10.1177/0031512519880421
60. Jung SH, Hasegawa N, Mancini M, et al. Effects of the agility boot camp with cognitive challenge (ABC-C) exercise program for Parkinson's disease. *npj Park Dis*. 2020;6(1):31. doi:10.1038/s41531-020-00132-z
61. Kadivar Z, Corcos DM, Foto J, Hondzinski JM. Effect of step training and rhythmic auditory stimulation on functional performance in Parkinson patients. *Neurorehabil Neural Repair*. 2011 Sep;25(7):626-35. doi: 10.1177/1545968311401627. Epub 2011 Mar 24. PMID: 21436393.
62. Kashif M, Ahmad A, Bandpei MAM, Syed HA, Raza A, Sana V. A Randomized Controlled Trial of Motor Imagery Combined with Virtual Reality Techniques in Patients with Parkinson's Disease. *J Pers Med*. 2022;12(3):450. doi:10.3390/jpm12030450
63. Khobkhun F, Santiago PRP, Tahara AK, Srivanitchapoom P, Richards J. An investigation of the contribution of different turn speeds during standing turns in individuals with and without Parkinson's disease. *Sci Rep*. 2022;12(1):22566. Published 2022 Dec 29. doi:10.1038/s41598-022-27217-4
64. Kim J, Kim I, Kim YE, Koh SB. The Four Square Step Test for Assessing Cognitively Demanding Dynamic Balance in Parkinson's Disease Patients. *J Mov Disord*. 2021 Sep;14(3):208-213. doi: 10.14802/jmd.20146. Epub 2021 May 26. PMID: 34030434; PMCID: PMC8490191.
65. King LA, Horak FB. Delaying Mobility Disability in People With Parkinson Disease Using a Sensorimotor Agility Exercise Program. *Phys Ther*. 2009;89(4):384-393. doi:10.2522/ptj.20080214
66. King LA, Mancini M, Smulders K, et al. Cognitively Challenging Agility Boot Camp Program for Freezing of Gait in Parkinson Disease. *Neurorehabilitation and Neural Repair*. 2020;34(5):417-427. doi:10.1177/1545968320909331
67. King LA, Peterson DS, Mancini M, et al. Do cognitive measures and brain circuitry predict outcomes of exercise in Parkinson Disease: A randomized clinical trial. *BMC Neurol*. 2015;15(1):4-11. doi:10.1186/s12883-015-0474-2

68. King LA, Priest KC, Nutt J, et al. Comorbidity and Functional Mobility in Persons with Parkinson Disease. *Arch Phys Med Rehabil.* 2014;95(11):2152-2157. doi:10.1016/j.apmr.2014.07.396
69. Klaver EC, van Vugt JPP, Bloem BR, van Wezel RJA, Nonnekes J, Tjepkema-Cloostermans MC. Good vibrations: tactile cueing for freezing of gait in Parkinson's disease. *J Neurol.* 2023;270(7):3424-3432. doi:10.1007/s00415-023-11663-9
70. Koehler PJ, Nonnekes J, Bloem BR. Freezing of gait before the introduction of levodopa. *Lancet Neurol.* 2021 Feb;20(2):97. doi: 10.1016/S1474-4422(19)30091-2. Epub 2019 Apr 11. PMID: 30982582.
71. Kwok JYY, Smith R, Chan LML, Lam LCC, Fong DYT, Choi EPH, Lok KYW, Lee JJ, Auyeung M, Bloem BR. Managing freezing of gait in Parkinson's disease: a systematic review and network meta-analysis. *J Neurol.* 2022 Jun;269(6):3310-3324. doi: 10.1007/s00415-022-11031-z.
72. Leung IHK, Walton CC, Hallock H, Lewis SJG, Valenzuela M, Lampit A. Cognitive training in Parkinson disease: A systematic review and meta-analysis. *Neurology.* 2015;85(21):1843-1851. doi:10.1212/WNL.0000000000002145
73. Lewis SJ, Barker RA. A pathophysiological model of freezing of gait in Parkinson's disease. *Parkinsonism Relat Disord.* 2009;15(5):333-338. doi:10.1016/j.parkreldis.2008.08.006
74. Lewis S, Factor S, Giladi N, Nieuwboer A, Nutt J, Hallett M. Stepping up to meet the challenge of freezing of gait in Parkinson's disease. *Transl Neurodegener.* 2022;11(1):23. doi:10.1186/s40035-022-00298-x
75. Li, K. P., Zhang, Z. Q., Zhou, Z. L., Su, J. Q., Wu, X. H., Shi, B. H., & Xu, J. G. (2022). Effect of music-based movement therapy on the freezing of gait in patients with Parkinson's disease: A randomized controlled trial. *Frontiers in aging neuroscience, 14*, 924784.
76. Maidan I, Nieuwhof F, Bernad-Elazari H, Bloem BR, Giladi N, Hausdorff JM, et al. Evidence for Differential Effects of 2 Forms of Exercise on Prefrontal Plasticity During Walking in Parkinson's Disease. *Neurorehabil Neural Repair.* 2018 Mar;32(3):200-208. doi: 10.1177/1545968318763750.
77. Maidan I, Rosenberg-Katz K, Jacob Y, Giladi N, Hausdorff JM, Mirelman A. Disparate effects of training on brain activation in Parkinson disease. *Neurology.* 2017 Oct 24;89(17):1804-1810. doi: 10.1212/WNL.0000000000004576.
78. Mandal, M., & Khan, A. (2023). Attention switching deficit in patients of Parkinson's disease who experience freezing of gait. *Applied Neuropsychology: Adult, 30*(4), 389-400.
79. Martens KAE, Silveira CRA, Intzandt BN, Almeida QJ. Overload From Anxiety: A Non-Motor Cause for Gait Impairments in Parkinson's Disease. *J Neuropsychiatry Clin Neurosci.* 2018;30:77-80. doi:10.1176/appi.neuropsych.16110298
80. May DS, Tueth LE, Earhart GM, Mazzoni P. Using Wearable Sensors to Assess Freezing of Gait in the Real World. *Bioengineering (Basel).* 2023;10(3):289. Published 2023 Feb 23. doi:10.3390/bioengineering10030289
81. Mezzarobba, S., Ravizzotti, E., Bernardis, P., Putzolu, M., Cosentino, C., Botta, A., ... & Pelosin, E. (2024). Boosting motor imagery processing to improve gait in patients with Parkinson disease and freezing of gait: A pilot study. *Parkinsonism & Related Disorders, 129*, 107173.
82. Milane T, Hansen C, Chardon M, Bianchini E, Vuillerme N. Comparing Backward Walking Performance in Parkinson's Disease with and without Freezing of Gait-A Systematic Review. *Int J Environ Res Public Health.* 2023;20(2):953. Published 2023 Jan 4. doi:10.3390/ijerph20020953
83. Monaghan, A. S., Gordon, E., Graham, L., Hughes, E., Peterson, D. S., & Morris, R. (2023). Cognition and freezing of gait in Parkinson's disease: a systematic review and meta-analysis. *Neuroscience & Biobehavioral Reviews, 147*, 105068.
84. Mori L, Putzolu M, Bonassi G, Galeoto G, Mezzarobba S, Trompetto C, Avanzino L, Marchese R, Abbruzzese G, Pelosin E. Haptic perception of verticality correlates with postural and balance deficits in patients with Parkinson's disease. *Parkinsonism Relat Disord.* 2019 Sep;66:45-50. doi: 10.1016/j.parkreldis.2019.06.026. Epub 2019 Jul 2. PMID: 31279636.
85. Nackaerts E, Heremans E, Vervoort G, et al. Relearning of Writing Skills in Parkinson's Disease After Intensive Amplitude Training. *Mov Disord.* 2016;31(8):1209-1216. doi:10.1002/mds.26565

86. Nackaerts E, Broeder S, Pereira MP, et al. Handwriting training in Parkinson's disease: A trade-off between size, speed and fluency. *PLoS One*. 2017;12(12):e0190223. Published 2017 Dec 22. doi:10.1371/journal.pone.0190223
87. Nieuwboer A, Giladi N. Characterizing freezing of gait in Parkinson's disease: Models of an episodic phenomenon. *Mov Disord*. 2013;28(11):1509-1519. doi:10.1002/mds.25683
88. Nieuwboer A, Rochester L, Herman T, et al. Reliability of the new freezing of gait questionnaire: Agreement between patients with Parkinson's disease and their carers. *Gait Posture*. 2009;30(4):459-463. doi:10.1016/j.gaitpost.2009.07.108
89. Nóbrega LR, Rocon E, Pereira AA, Andrade A de O. A Novel Physical Mobility Task to Assess Freezers in Parkinson's Disease. *Healthcare*. 2023;11(3):409. doi:10.3390/healthcare11030409
90. Nonnekes J, Giladi N, Guha A, Fietzek UM, Bloem BR, Růžička E. Gait festination in parkinsonism: introduction of two phenotypes. *J Neurol*. 2019;266(2):426-430. doi:10.1007/s00415-018-9146-7
91. Nonnekes J, Snijders AH, Nutt JG, Deuschl G, Giladi N, Bloem BR. Freezing of gait: a practical approach to management. *Lancet Neurol*. 2015;14(7):768-778. doi:10.1016/S1474-4422(15)00041-1
92. Nonnekes J, Nieuwboer A. Towards Personalized Rehabilitation for Gait Impairments in Parkinson's Disease. Brundin P, Langston JW, Bloem BR, eds. *Journal of Parkinson's Disease*. 2018;8(s1):S101-S106. doi:10.3233/JPD-181464
93. Nutt JG, Bloem BR, Giladi N, Hallett M, Horak FB, Nieuwboer A. Freezing of gait: moving forward on a mysterious clinical phenomenon. *Lancet Neurol*. 2011;10(8):734-744. doi:10.1016/S1474-4422(11)70143-0
94. Pelosin E, Avanzino L, Bove M, Stramesi P, Nieuwboer A, Abbruzzese G. Action observation improves freezing of gait in patients with Parkinson's disease. *Neurorehabil Neural Repair*. 2010 Oct;24(8):746-52. doi: 10.1177/1545968310368685. Epub 2010 May 7. PMID: 20453155.
95. Pelosin E, Barella R, Bet C, Magioncalda E, Putzolu M, Di Biasio F, Cerulli C, Casaleggio M, Abbruzzese G, Avanzino L. Effect of Group-Based Rehabilitation Combining Action Observation with Physiotherapy on Freezing of Gait in Parkinson's Disease. *Neural Plast*. 2018 May 27;2018:4897276. doi: 10.1155/2018/4897276. PMID: 29977280; PMCID: PMC5994277.
96. Peterson DS, King LA, Cohen RG, Horak FB. Cognitive Contributions to Freezing of Gait in Parkinson Disease: Implications for Physical Rehabilitation. *Physical Therapy*. 2016;96(5):659-670. doi:10.2522/ptj.20140603
97. Rafferty MR, Nettnin E, Goldman JG, MacDonald J. Frameworks for Parkinson's Disease Rehabilitation Addressing When, What, and How. *Curr Neurol Neurosci Rep*. 2021;21(3):12. doi:10.1007/s11910-021-01096-0
98. Ribeiro de Souza, C., Ávila de Oliveira, J., Takazono, P. S., da Silva Rezende, L., Silva-Batista, C., Coelho, D. B., & Teixeira, L. A. (2023). Perturbation-based balance training leads to improved reactive postural responses in individuals with Parkinson's disease and freezing of gait. *European Journal of Neuroscience*, 57(12), 2174-2186.
99. Ruan X, Huang X, Li Y, Kuang Z, Li M, Wei X. Dysfunction of human brain network hierarchy in Parkinson's disease patients with freezing of gait [published online ahead of print, 2023 May 24]. *Parkinsonism Relat Disord*. 2023;112:105446. doi:10.1016/j.parkreldis.2023.105446
100. Rutz DG, Benninger DH. Physical Therapy for Freezing of Gait and Gait Impairments in Parkinson Disease: A Systematic Review. *PM&R*. 2020 Nov;12(11):1140-1156. doi: 10.1002/pmrj.12337. Epub 2020 May 19.
101. Sarasso E, Agosta F, Piramide N, Gardoni A, Canu E, Leocadi M, Castelnovo V, Basaia S, Tettamanti A, Volontè MA, Filippi M. Action Observation and Motor Imagery Improve Dual Task in Parkinson's Disease: A Clinical/fMRI Study. *Mov Disord*. 2021 Nov;36(11):2569-2582. doi: 10.1002/mds.28717. Epub 2021 Jul 19. PMID: 34286884
102. Shah, V. V., Vitorio, R., Hasegawa, N., Carlson-Kuhta, P., Nutt, J. G., King, L. A., ... & Horak, F. B. (2022). Effects of a cognitively challenging agility boot camp program on balance and gait in people with Parkinson's disease: does freezing of gait status matter?. *Neurorehabilitation and neural repair*, 36(9), 603-612.

103. Silva-Batista, C., Almeida, F. O. D., Batista, A., Barbosa, E. R., Horak, F. B., & Ugrinowitsch, C. (2025). Complex exercises improve cognition in people with Parkinson's disease and freezing of gait. *Neurorehabilitation and neural repair*, 39(1), 3-15.
104. Silva-Batista C, Corcos DM, Kanegusuku H, et al. Balance and fear of falling in subjects with Parkinson's disease is improved after exercises with motor complexity. *Gait Posture*. 2018;61(May 2017):90-97. doi:10.1016/j.gaitpost.2017.12.027
105. Silva-Batista C, Corcos DM, Roschel H, Kanegusuku H, Gobbi LT, Piemonte ME, Mattos EC, DE Mello MT, Forjaz CL, Tricoli V, Ugrinowitsch C. Resistance Training with Instability for Patients with Parkinson's Disease. *Med Sci Sports Exerc*. 2016 Sep;48(9):1678-87. doi: 10.1249/MSS.0000000000000945.
106. Silva-Batista C, Lima-Pardini AC, Nucci MP, et al. A Randomized, Controlled Trial of Exercise for Parkinsonian Individuals With Freezing of Gait. *Mov Disord*. 2020;35(9):1607-1617. doi:10.1002/mds.28128
107. Snijders AH, Haaxma CA, Hagen YJ, Munneke M, Bloem BR. Freezer or non-freezer: Clinical assessment of freezing of gait. *Park Relat Disord*. 2012;18(2):149-154. doi:10.1016/j.parkreldis.2011.09.006
108. Snijders AH, Nijkrake MJ, Bakker M, Munneke M, Wind C, Bloem BR. Clinimetrics of freezing of gait. *Mov Disord*. 2008;23(S2):S468-S474. doi:10.1002/mds.22144
109. Soke F, Guclu-Gunduz A, Ozkan T, Ozkul C, Gulsen C, Kocer B. Reliability and validity of the timed 360° turn test in people with Parkinson's disease. *Eur Geriatr Med*. 2020 Jun;11(3):417-426. doi: 10.1007/s41999-019-00285-y. Epub 2020 Jan 10. PMID: 32297254.
110. Son, M., Cheon, S. M., Youm, C., & Kim, J. W. (2022). Turning reveals the characteristics of gait freezing better than walking forward and backward in Parkinson's disease. *Gait & Posture*, 94, 131-137.
111. Sotirakis, C., Su, Z., Brzezicki, M.A. et al. Identification of motor progression in Parkinson's disease using wearable sensors and machine learning. *npj Parkinsons Dis*. 9, 142 (2023). <https://doi.org/10.1038/s41531-023-00581-2>
112. Sozzi S, Schieppati M. Stepping in Place While Voluntarily Turning Around Produces a Long-Lasting Posteffect Consisting in Inadvertent Turning While Stepping Eyes Closed. *Neural Plast*. 2016;2016:7123609. doi: 10.1155/2016/7123609.
113. Taghizadeh G, Fereshted SM, Martinez-Martin P, Joghataei MT, Mahdizadeh F, Sabbaghi S, Goudarzi S, Meimandi M, Habibi SAH, Mehdizadeh M. Clinimetrics of the Freezing of Gait Questionnaire for Parkinson Disease During the "off" State. *Basic Clin Neurosci*. 2021 Jan-Feb;12(1):69-78. doi: 10.32598/bcn.12.1.882.11. Epub 2021 Jan 1. PMID: 33995929; PMCID: PMC8114865.
114. Tosserams A, Bloem BR, Ehgoetz Martens KA, Helmich RC, Kessels RPC, Shine JM, Taylor NL, Wainstein G, Lewis SJG, Nonnekes J. Modulating arousal to overcome gait impairments in Parkinson's disease: how the noradrenergic system may act as a double-edged sword. *Transl Neurodegener*. 2023 Mar 26;12(1):15. doi: 10.1186/s40035-023-00347-z. PMID: 36967402; PMCID: PMC10040128.
115. Tosserams, A., Fasano, A., Gilat, M., Factor, S. A., Giladi, N., Lewis, S. J., ... & Nonnekes, J. (2025). Management of freezing of gait—mechanism-based practical recommendations. *Nature Reviews Neurology*, 21(6), 327-344.
116. Tosserams A, Nijkrake MJ, Sturkenboom IHWM, Bloem BR, Nonnekes J. Perceptions of Compensation Strategies for Gait Impairments in Parkinson's Disease: A Survey Among 320 Healthcare Professionals. *J Parkinsons Dis*. 2020;10:1775-1778. doi:10.3233/JPD-202176
117. Tosserams A, Nonnekes J. How I Examine My Patient: A Practical Guide to the Evaluation of Compensation Strategies for Gait Impairment in Parkinson's Disease. *J Parkinsons Dis*. 2022;12:2005-2008. doi:10.3233/JPD-223296
118. Tosserams A, Weerdesteyn V, Bal T, Bloem BR, Solis-Escalante T, Nonnekes J. Cortical Correlates of Gait Compensation Strategies in Parkinson Disease. *Ann Neurol*. 2022 Mar;91(3):329-341. doi: 10.1002/ana.26306. Epub 2022 Feb 8. PMID: 35067999; PMCID: PMC9306676.

119. Tseng, Ing-Jy MSN; Yuan, Rey-Yue MD; Jeng, Chii PhD. Treadmill Training Improves Forward and Backward Gait in Early Parkinson Disease. *American Journal of Physical Medicine & Rehabilitation* 94(10):p 811-819, October 2015. | DOI: 10.1097/PHM.0000000000000273
120. Vandenbossche J, Deroost N, Soetens E, et al. Freezing of gait in Parkinson's disease: disturbances in automaticity and control. *Front Hum Neurosci.* 2013;6:356. Published 2013 Jan 10. doi:10.3389/fnhum.2012.00356
121. Vieira-Yano B, Martini DN, Horak FB, et al. The Adapted Resistance Training with Instability Randomized Controlled Trial for Gait Automaticity. *Mov Disord.* 2021;36(1):152-163. doi:10.1002/mds.28298
122. Virmani T, Landes RD, Pillai L, et al. Gait Declines Differentially in, and Improves Prediction of, People with Parkinson's Disease Converting to a Freezing of Gait Phenotype. *J Parkinsons Dis.* 2023;13(6):961-973. doi:10.3233/JPD-230020
123. Walton CC, Mowszowski L, Gilat M, Hall JM, O'Callaghan C, Muller AJ, Georgiades M, Szeto JYY, Ehgoetz Martens KA, Shine JM, Naismith SL, Lewis SJG. Cognitive training for freezing of gait in Parkinson's disease: a randomized controlled trial. *NPJ Parkinsons Dis.* 2018 May 18;4:15. doi: 10.1038/s41531-018-0052-6.
124. Weiss D, Schoellmann A, Fox MD, et al. Freezing of gait: understanding the complexity of an enigmatic phenomenon. *Brain.* 2020;143(1):14-30. doi:10.1093/brain/awz314
125. Witt I, Ganjavi H, MacDonald P. Relationship between Freezing of Gait and Anxiety in Parkinson's Disease Patients: A Systemic Literature Review. *Parkinsons Dis.* 2019;2019:6836082. Published 2019 Jul 24. doi:10.1155/2019/6836082 Zhang LL, Canning SD, Wang XP. Freezing of Gait in Parkinsonism and its Potential Drug Treatment. *Curr Neuropharmacol.* 2016;14(4):302-6. doi: 10.2174/1570159x14666151201190040. PMID: 26635194; PMCID: PMC4876585.
126. Yamagami M, Imsdahl S, Lindgren K, et al. Effects of virtual reality environments on overground walking in people with Parkinson disease and freezing of gait. *Disabil Rehabil Assist Technol.* 2023;18(3):266-273. doi:10.1080/17483107.2020.1842920
127. Yogev-Seligmann G, Josman N, Bitterman N, Rosenblum S, Naaman S, Gilboa Y. The development of a home-based technology to improve gait in people with Parkinson's disease: a
128. Zhang LL, Canning SD, Wang XP. Freezing of Gait in Parkinsonism and its Potential Drug Treatment. *Curr Neuropharmacol.* 2016;14(4):302-6. doi: 10.2174/1570159x14666151201190040. PMID: 26635194; PMCID: PMC4876585.
129. Ziegler, K., Schroeteler, F., Ceballos-Baumann, A.O. and Fietzek, U.M. (2010), A new rating instrument to assess festination and freezing gait in Parkinsonian patients. *Mov. Disord.*, 25: 1012-1018. <https://doi.org/10.1002/mds.22993>
130. Zoetewei D, Ginis P, Goris M, et al. Which Gait Tasks Produce Reliable Outcome Measures of Freezing of Gait in Parkinson's Disease?. *J Parkinsons Dis.* 2024;14(6):1163-1174. doi:10.3233/JPD-240134